








AD Number	Effective Date	Description	Applicable Service Information
Gulfstreem	Aerospace	- Model G-IV - T C ₹ △ · · · ·	
88-02-01 R1	02/13/89	To prevent the potential display and use of hazardously misleading information from	00 89 M-104
88-20-04	05/11/81	To prevent loss of engine power while flying in icing conditions	GC 538 36-848
89-02-12	04/03/89	To prevent premature turns toward the runway while conducting ILS approaches	00.08 9-00
89-04-10	04/03/89	To prevent inadvertent pusher activation during rotation on takeoff	OCCUPATION A
89-05-05	05/08/89	To ensure that the engine fire extinguishing system electrical power leads are properly connected	120 CA 654
90-02-05	02/13/90	To prevent an airplane taking off in an unsafe	QC 58 9-317





9 575

.

,

Telementa Constituents

Abstract Trachelated Publishers (ATP) makes an exercisely of any blad with support to this method, broketing, but one finance for, two hapded memorates of discuss of a particular proposes. ATP shotly may be begind memorates of discuss of a particular proposes. ATP shotly may be forbly for cross constituent barriers or for incidented or commengements demograted as exemptions with the hardwishing, performance, or sum of this method.

This concentral crossina propository information which is protected by acquiright all rights are reserved. He prote of this decument may be photocompaid, apparentment, or translated in mention because without the witness constraints of ATP. The information convenient because without the medical and the component of ATP. The information convenient because without the admirant in the formation of disclassion by the Component in antiquet to constitutions on and fronts in antiquencyce(s) [1] [2] of the Highes in Technical Robo Clause or DEATS 59 277-7812.\*

:






Figure 6




Figure 7






Figure 8











Figure 11



Document ID	Title	Issue Date
FR 49	Part 49 - Recording of Aircraft Titles and Security Documents	10/17/91
AC 65-19E	Inspection Authorization Study Guide	04/08/87
AD 89-02-12	To prevent premature turns toward the runway	01/24/89
GC SH IV-110	To prevent premeture turns toward the runway	02/24/89
GC CA N-5	To provide a one-time inspection for identification	02/02/89
i i		

Figure 13




Figure 14




Figure 15




Figure 16




Figure 17





Figure 18








Figure 20






Figure 21







AD Number	Effective Date	Description	Applicable Service Information
Guifstream	Aerospace	- Model G-IV - T C # WWW	
88-02-01 R1	02/13/89	To prevent the potential display and use of hazardously misleading information from	100,000,000,000
88-20-04	05/11/81	. To prevent loss of engine power while flying $\dot{\gamma}$ in icing conditions	00 % 8-864
8 <del>9-</del> 02-12	04/03/89	To prevent premature turns toward the runway while conducting ILS approaches	90.86 W410
89-04-10	04/03/89	To prevent inadvertent pusher activation during rotation on takeoff	CO CA SAR
89-05-05	05/08/89	To ensure that the engine fire extinguishing system electrical power leads are properly connected	00.08.888
90-02-05	02/13/90	To prevent an airplane taking off in an unsafe	60.86 90.08






Figure 25




Figure 26

	iy Record:		Profile ID;	N1ATP		1 1000
Inspection Date Type	This Flight Hours Cycles	Freq. (15)	N TSO	Freq. TSI	TSO :	
12/12/12 ckilpewndtallywit		al-Mhinville 12	345   12345	alst themath   123	45 12345 💸	1
					<u></u>	.   阿泰
	<del>- </del>					
		,				
'm' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '					1	
Change Inspection F			111	1111 1111	1991 Harr	:   <b>           </b>
Profile 10: N1A	TP	inspec	· · · · · · · · · · · · · · · · · · ·			
Inspection Type:		]	ate: 7 /			
his Flight: Hours:			los:		: <u> </u>	
Frequency:		<b>3</b>	SN:		J: [	: 1000
Frequency:			TSN:	TSI ::: TSI	ı: [:	
Frequency:		33	ISN:		j: [	
actility:		<del></del>		Station #:		1 100
ontact	<del></del>		itie:			
	:	• • • • • • • • • • • • • • • • • • • •	∵	<del></del>	<del></del>	ننتنا ازا
ddiess	<del></del>	1,1,1	one:		<del></del> :: ::	1
	: :		AX:			l: <b>1</b>
		Cou				
ily.	State:		⊥ Zi	o:		1.1
omments:			+ Com	nerit File:	<b>3</b> .	



oose AD Comp	ianca Record	101 00	Pro	ille ID;	NIAT	P	į	جم ا الا
Document	Description	issue Date	Action	∷∷ Date∷	Hours.	Freq.	Units	
3 92 04 03 R1		12/12/91	On Condition	2/20/92	12345	APU Hours	12345	3
		+			<del> </del> -		<del> </del>	
							<del>                                     </del>	
400044400444		84000	33334433344					333 <b>(2</b>
								::: B
								:::  <b>8</b>
								※::   鹽
								隨
								((:)] 燧
								:::In:
								::::1 <b>!</b>
								ंं भे क
								994
				<u> </u>	<u> </u>		<i>(44</i> 45)	



Choose AD Cos	plianca Record:	H.,, 44.	Pro	ide ID;	NIAT		4	(D)
Document	Description	Issue		iliji Janaan	Compl	Freq.	: Minets	
08 92 04 03 R1	Describtion	Date:	Action In Concilion				1225	
		<del>├</del> ──┤			<del> </del>		<b>├</b> ──₩	
	<u></u>				· · · · · · · ·			
Change AD (	ompliance Event Ri	econt					***	
*.*.*.	<u> </u>				<u>::::</u> -	::- :::-	122	
Profile ID N	IAIP	- ₩	Inspe	iawk.	-		2	100
Component		_::::-	Model			<del></del>		800
lanulacurer:		البسب	•.•.•					
Part Number:		::	Serial Nu	woei:				
Doc ID:		Descripti	on:			<del></del>	:	
ompliance:		, ::::		::	<del></del>		122	1
Type:	3	•	Action			1 4635	12	
Date: /	/ Hou			uency: [		Unite:		
ecurring:	Last Complied Da	··· , <del>}</del>	<b>—</b>	uency_ [_		Units:	<del></del>  :	0.000
بننية أأروورا	Next Compliance Da			uency: [		.Dinits:		1
Detation:		Mei	hod	- 7			<b>3</b>	نننا
Authorization:	Type:		<u></u>	Bý:		·		4
omments:							<b>±</b>	1
								ı

104

roose SI Compli	ance Record:		Pro	ido ID:	NIAT	P	#	
Document	Description	issue		∵∷ ∵Date∴	Comp	liance Freq.	::Units :::	
	Description	Date	Action		12345	APU Hours		
28 92 04 03 R1	<del>-</del>	12/12/91	On-Condition	2/20/32	12345	APU Hours	12345	1
		<del></del>	<del> </del>				+	
			<del> </del>					
			•		,			
								: B
								:   鍵
								1
								1
								100
								: : : : : :
								$\mathbb{H}^{\otimes}$
								:11:
								:
								:4
								::1
			<u></u>	<u> </u>	33344		<u> </u>	감



oose St Compli	ance Record:	:::	Pı	olde ID;	NIATE	3	#	11.
D ocument	Description	lssue Date	Action	∵ Date:	Compil	Freq.	Units	
B 92-04-03 F1		12/12/91	On-Condition	2/20/92	12315	APU Hours	15572	1 65
				<del> </del>				4118
<del></del>	<del></del>	<u> </u>		1	٠ ا		1	
								一阕
	npliance Event Re	coia: —						]   幽
Profile ID: N1A	TP.	<b>↓</b> ※		ection:			*	
omponent.		<u>_:::</u>		uawk.			ં	
nulacurer:		<u></u>	Mode					L L
ı (: Nawper:			Serial N	nupei:				1
Doc ID:	<del></del>	Descript	ion:					
mpliance:					·:.:	:::: <u>:::</u>		
Туре:	3	k: <u>- ::::</u>	Action				4:	<b>!!! !!</b>
Date: / /	Hou	#:	Fre	quency:		Unite:		
cutting:	Last Complied Dat	er / /	Free	wency_		Units:		
	Next Compliance Da	ier. / /	Free	juency. [	····	Units:		
eration:		Ma	thod:				<b>.</b>	
thorization:	Type:		<b></b>	Ву:			*	]
nments:							<b>±</b>	
								ت



AUDITORICE AD A	Applicability:		Profile ID:	NIATP		4
AD	::: Manufacturer:::	Description	Inspection	Apport Comp.	olicability Cool: In	20 ·
Conditioner		L				14
-01-06						130
12:04		<del> </del>				—₩
	<u> </u>	<u> </u>		ليبيلب		
*****	***********	· · · · · · · · · · · · · · · · · · ·	<del>-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>			· · · · · · ·
				::::::::::::::::::::::::::::::::::::::		
						::::::::
				`.`.		

248

Figure 32	F'l	αι	ļŗ	е	3	4
-----------	-----	----	----	---	---	---

ance AD Applicability:	1.1.1	Profile ID:	NIATP	
Manufact	urer Description	inspe	App ction Comp.	icability Cmpl: Insp.
nditioner				
<u> </u>				
<del></del>	<u></u>		<del></del>	14
				s services
Inspection do you wa	nt to associate with these			cords?
Inspection	This Flight lours Cycles Freq.	Accumati SN: TSO	ve Totals Freq. ISN	∵ TSO∷ :
er (:::Type: H	ious cycles rect	un. 130	7.004	
				XI::33
			2 17:12	ر المستند

. .



	Applicability:		Profile ID: N1ATP		6
ΑĎ	Manufacturer.	Description	Inspection Cor	Applicability	
Conditioner				3	_
)1-06   2-04	<del> </del> -	<del> </del>			
<u> </u>	-				
<del> </del>	<u> </u>	<del>,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>			
Secretar Marce	Component Reco	vale in a second se	<del></del>		
	• • • • • • • • • • • • • • • • • • • •	<u></u>			
Profile	a ID: [		omponent Record Cre		
		<u> </u>	moonent Record Char	ged: //	
mponent Ca	одогу:	Assigine	d Category,	(త)	
Component	Тура;	4			
Manula	clurer:		₹:		
Page 1995 and	Hodel:	<b>(4)</b>	Certification #:	*	1
. Part Ni	amber:	Desci	iption:		100
	umber:	**	Warranty Ex	pirés. //	
Serial N					۳
Serial N		/ [6] (5)	Placed in Se	rvica::// i::!	
Manu	facture Date: /	/TSN:	Placed in Se		::
Manu Time Since	facture Date: / a New Hours:	/ TSN:	Placed In Se		
Manu Time Since me Since Ov	facture Date: / a New Hours: enhaul Hours:	150-			
Manu Time Since me Since Ov Component Ir	facture Date: / a New Hours: erhaul Hours: /	τs0:	Placed in Se	Diag.	****
Manu Time Since me Since Ov Component Ir	facture Date: / a New Hours: enhaul Hours:	150-			*****

1.3



ose Squawk History Record:				Profile ID:		N1ATP		# 1	(*********	
Date	ATA:	A/C Hours	Freq.	Units	Conected	ji: Sesi	Descriptio	1333 (1) m (3)3		
T									<u> </u>	-
<del> </del>	┼─┼			<del> </del>					-[註]	27.00
• • • • • •	·····	·,,,·	<del> ,</del>				·· , , , · · · , .			Spinistration of the last of t
										(333
	);;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;									1
			((i))							1
										]
										;
										1
										}
										1
			* . * . * . * . * . * .	*.*.*.*.*.*.*		······				
										ATA: A/C Corrected  Date Ref. Hours Fleq. Units: Date Description

324



Choose Squawk History Record:					:: :	Profile ID:	N1ATP	34.0	411
Squawk ID	Date	ATA. Ref.	A/C	Freq.	Unita	Conected Date	Description		
234567								4:	湯瀬
								<b>二部</b>	3
	<u> </u>	<del></del>	·			<u> </u>	····		(444
-Change S	quawk	liston	Recon	j:	- ::				
Profile ID	• • • • • • • •	·				: Squawk:		<u></u> : -	
Companent				<b>£</b> ::::		· <u></u>			鏯
Manufacurer					<b>]</b>	Modet:			
Part Number		<del></del>		<u> ننڌ لي</u>	_, ∷s	erial Number.	<del>,,,</del>		
quawk Date		; A	C Hours		၂ :	ATA Referen	ce:		
Frequency quawk Rep			Units	<u> </u>	1:::/	requency:	::ones.:		···
escription:	и (СВ, Q <b>У.</b>								
, computer									غننا
Squawk Con	ected D	ate /	77	A/C Hay	HE:	inspection		19	
Squawk Cor	ective A	ction	·			. Comment File:	,		
								<b>:</b>	
<u> </u>	77.75	77.77	- 7.77	333		<u> </u>		· · · · · · ·	
									2
· (CP:	A: H		(3)		]  <i>i</i>				





Figure 37



**%**,


Profile ID: N1ATP	Airframe Airframe Airframe Engine 1 Engine 2 Engine 2	Multi Engine Auxillary Power Un Turbine Thrust Reverser Turbine	Manufacturer Guilstream Aero id Gerrett Rolls Royce Grumman Rolls Royce Grumman	)(G) (S)
				្រ គ
				i i

3.:Š

Profile (D:	Category Ivos:	Manufactueer: Wede	***************************************
ange Profile Record			
Profile ID:	Active:	Profile Created: Profile Changed:	
Operator:	<u>ele lele, leger sous.</u>	The second of th	
Contact:		Title:	
Address:			
City:		State:	<u> </u>
ZIP.	<u> </u>	Country:	
lone Phone:			l'é
Certificate of Airworl	hiness Issued, //	FAR Registration:	
omments:			
		<del>1: ::: ::: ::: ::: ::: ::: ::: ::: ::: </del>	


Profile 10:	Autome Autome Autome Engine 1 Engine 2 Engine 2	Multi Engine Ausslary Power Unit Turbine Thrust Reverser Turbine Thrust Reverser	Mériufacturer, Gullstream Aero Genett Rots Royce Grumman Rots Royce Grumman	Modet: GIV 36-150(G) 7 Tay 611-8 G-634-9 Tay 611-8 G-634-9	
Change Component	lecord: ÷÷				7
Profile ID: N1A	TP .		omponent Record		
			mponent Record C		
proponent Calegory:		197	d Category:	a	<u>:</u>
Component Type:		<b>4</b>	<u> </u>		
Manufacturer:		1.63	Certification #:	· · · · · · · · · · · · · · · · · · ·	3
Part Number:		Desci	inctions		$1.11 \odot$
Serial Number:			Warranki	Expires: //	
Manufacture D	ste: //		Placed w	Service: //	]:  "
Time Since New Ho	##	TSN:		<u> </u>	]   ]
ine Since Overhaul Ho	urs:	TSO-		<u>*</u> }	].[1
Companent Installed O	ste. //		Component Installe	d Hours:	] []
omponent Resoved D	ate: / /	Removed:		<b>3</b>	]:

Figure 41



1.1%

Figure 42



3.3%

Figure 43




Figure 44





Figure 45



·£

Figure 46





Figure 47








Figure 49







		全
Fed. Reg. Date	Action Date	Description [6]
02/27/92	05/06/92	Replacement of all Garrett AirResearch improperty overhauled aircraft starters procurred from Classic Aviation with an approved part
03/02/92	05/04/92	Inspection of possibly severed elevator trim tab guide on Piper models PA-46-310P (Malibu) and PA-16-350P (Mirage)
03/02/92	05/04/92	Replacement of certain empennage countersunk rivets on Piper models PA-46-310P (Malibu) and PA-16-350P (Mirage) as indicated in Piper Service Bulletin 944
03/02/92	05/04/92	To prevent failure air driven attitude gyro and autopilot systems on Piper models PA-46-310P (Malibu) and PA- 16-350P (Mirage) as indicated in Piper Service Bulletin 947A
or Bookmark	Inquire Print	Apurese Course (2000) (450) Note: Zoom Graphic
	02/27/92 03/02/92 03/02/92 03/02/92	Fed. Reg. Action Date  02/27/92 05/06/92  03/02/92 05/04/92  03/02/92 05/04/92  03/02/92 05/04/92

ng\$

Figure 52











Figure 55



٠,٠




Figure 57




Figure 58





Figure 59


ppe Certifate Holder ome, Location and ircraft Model Number	FAA Region	TCDS Approval Number	Data Sheet & Revision Number	Cartifaication Basis
CULFSTREAM AEROSPACE CORPORATION COVERNMENT GA	CE-A			
G-159 (G-I)		A1A17	1A17-19	CAR 4b
G-1159 (G-II).		A12EA	A12EA-18 A12EA-18	CAR 4b CAR 4b
G-1158A (G-III).		A12EA A12EA	A12EA-18	CAR 4b
G-1159B (G-118). G-1√		AIZEA	A12EA-18	CAR 4b
HAMBURGER FLUGZEUGBAU	EU			
6.M.B.H. Hamburg, West Germany				
Hambarg, From Germany			1445114	FAR 21.29 (CAR 4b)
HFB 320 HANSA		A14EU	A14EU-4	FAM 21.29 (CAM 40)

Figure 60



Aucraft Make, Model & T.C. No.	STC No.	Description	AG.	STC Holder
GULFSTREAM AM	ERICAN			
G-44, AA-1, AA-1A, AA-1B, AA-5, AA-5A; T.C. A-734 A11EA, A16EA	SA308EA	Installation of A.R.P. Industries carburetor ice detection system 105AP in single and twin aircraft and single engine helicopters powered by Continental, Franklyn, and Lycoming type engines equipped with Marvel Schebler MA-2, MA-3, MA-45, MA-6 and HA-6 series carburetors.	EA	Alfred R. Puccinelli Co. DER 1-145 36 Bay Drive East Huntington, L.I., NY 11743
G-44; T.C. A-734	SA366AL	Installation of Cessna P/N 1223000-7 and -8 wing tips.	AL	George Pappas Aircraft Rebuilders P.O. Box 3567 Anchorage, AK 99501

Figure 62



<del></del>					
Number	Revised Date	Description	Subject Category		
55-19E	04/00/91	Inspection Authorization Study Guide	Airmen		
55-23A	07/22/87	Certification of Repairmen (Experimental Aircraft Builders	Airmen .		
FAA-S-8081-1A	11/00/87	Private Pilot - Practical Test Standards For Airplane, Rotorcraft Glider, Lighter-Than-Air	Practical Test Standards		
FAA-S-8081-2E	09/00/88	Commercial Pilot Practical Test Standard For Airplane, Rotorcraft, Glider, Lighter-Than-Air	Practical Test Standards		
FAA-S-8081-3	04/00/89	Recreational Pilot Practical Test Standards For Airplanes (SEL, SES) and Rotorcraft (Helicopter, Gyropiane)	Practical Test Standards		
FAA-S-8081-4A	03/00/89	Instrument Rating - Practical Test Standards For Airplane and Helicopter	Practical Test Standards		
FAA-S-8081-5	08/00/88	Airline Transport Pilot and Type Rating - Practical Test Standards For Airplane and	Practical Test Standards		




Figure 65




Figure 66




Figure 67





Figure 68






Figure 70

Docket Number	Fed. Reg Date	Action Date	Description	FAR Parts Effectivity
HM-184F	02/16/92	02/18/92	Implementation of the International Civil Aviation Organization's Technical Instructions	171
HM-208	11/07/91	11/26/91	Hazardous Materials Transportation Registration and Fee Assessment Program: Additional Hearing Oate	171
HM-208	10/10/91	10/21/91	Hazardous Materials Transportation Registration and Fee Assessment Program:	171
HM-166X	09/07/91	10/07/91	Transportation of Hazardous Materials; Proposed Miscellaneous Amendments	171, 172
HM-1891	10/01/90	10/01/90	Hazardous Materials Regulations: Editorial Corrections and Clarifications	171, 172


3 : ^


1:

Figure 71

Number	Rev.	Title	By AGC-200	8812	9010
150.3A	6	Compliance and Enforcement Program	,		
020.11	13	Aircraft Accidents and Incidents -	AFS-100	7607	8712
		Notification, Investigation, and Reporting			
130.28	11	Airwarthiness Certification of Aircraft and	AWS-200	7705	8910
,		Related Approvals			
300.10	5	Airworthiness Inspectors Handbook	AFS-500	8811	9011
400.10	5	Air Transportation Operators Inspector's	AFS-500	8088	9008
		Handbook			
700.1	7	General Aviation Operations Inspector's	AFS-500	8810	9010
		Handbook			
				•	

Figure 72










Figure 75





#### **GULFSTREAM AEROSPACE** G-IV ILLUSTRATED PARTS CATALOG CHAPTER 32 - LANDING GEAR

#### NOSE GEAR

Nose Landing Gear installation (Sheet 1 of 4) Nose Landing Gear Door Installation Nose Landing Gear Assembly (Sheet 1 of 4)

#### MAIN GEAR

Main Landing Gear Installation (Sheet 1 of 5)
Main Landing Gear Door Assembly
Main Landing Gear Door Linkage Installation (Sheet 1 of 2)
Main Landing Gear Sequencial Linkage Installation Main Landing Gear Fairing Installation Main Landing Gear Strut Installation Main Landing Gear Shock Absorber Assembly













Figure 77



	***************************************	\$	Applicable		
lasue Number	D ate	Description	Status	ATA	AD viria
N-1	04/00/88	Landing Gear. Main langing gear door black, p/n. 1153LM40857-11	Mandatory	32	
IV-2	06/00/88	Thrust Reverser. Inspection of actuator stow pressure hydraulic hose assembly installation for possible pinched condition	Mandatory	78	
IV-3	06/00/88	Landing Gear. Nose gear downlock actuator, p/n 1159L40840-3	Mandatory	32	
<b>N-4</b>	02/01/89	Angle of attack. Stall Warning Computer (SWC) part number 965-0041-035	Mandatory	27	89-04-10
<b>Ⅳ-5</b>	02/02/89	Fire protection. Engine fire extinguisher system	Mandatory	26	89-05-05
<b>№</b> -6	02/00/89				
N-7A	10/01/91	Electrical power. Feeder cable	Mandatory	24	91-25-05

Figure 79



...




Figure 81





Figure 82








Figure 84








Figure 87





Figure 88






Figure 90




Figure 91




Figure 92




Figure 93




Figure 94








Figure 95











2 LA







Figure 100









		***************************************	***************************************	************	333331 U
	000000000000000000000000000000000000000		*************		ľ
And the party of the control of the					•••••
	-COARDO				
Help Manigator Bookma		Aeverse Course			***

	- PE			
The same of the last of the la				
<b>■</b>				
-				
		<del>                                     </del>		
-				
A DESCRIPTION OF THE PERSON OF				
	THE PERSON NAMED IN	a neme		
33.924.46.24.2	The second second	==-		
	Testonia -	====		

2.5

Figure 104













Figure 107














Figure 111

